



User Manual

SMC65

**MOTORCYCLE/UTV SPEAKER AND
AMPLIFIER SYSTEM**

SMC65 Motorcycle/UTV Amplified Speaker System

Congratulations on your purchase of a Sound Storm Laboratories Off-road amplified speaker system. It has been designed, engineered and manufactured to bring you the highest level of performance and quality, and will afford you years of listening pleasure.

Thank you for making Sound Storm Laboratories your choice for entertainment!



SMC65 Motorcycle/UTV Amplified Speaker System

Contents

Amplifier	1 PC
High-Performance, Weatherproof Speakers	2 PCS
Amplifier Mounting Screws	4 PCS
Mounting Hardware	2 PCS
Rubber Mounting Shims	4 PCS
Fuse	1 PC
User's manual	1 PC

Features:

RCA & 3.5mm Audio Inputs

Metal Clamps


Weatherproof Volume Control

High-Impact, High Temp Speaker Enclosures


Weatherproof Speakers

SMC65 Motorcycle/UTV Amplified Speaker System

Connections



Loudspeaker Mounting Diagram



SMC65 Motorcycle/UTV Amplified Speaker System

Installation

1. Screw the brackets to the bottom of the speakers.
2. Find a safe, ideal mounting location and fit the brackets over the chosen mounting bars.
3. Fasten the mounting screws after you review the safety of the mounting location.

Wiring

1. Be sure to run the wiring securely and far away from any moving components.
2. Connecting the power cable to the power source: You will need to connect the 12V red wire to a (fused 5A) switched power source.
3. Use the 3.5mm stereo jack to connect to your entertainment source(MP3 player, etc).
4. Use your player device and wired remote volume controller to control your level of loudness.

SMC65 Motorcycle/UTV Amplified Speaker System

Specifications

Operation Voltage	-----10 ~ 16 V
Max Power	-----600 W
THD	-----<0.1%
S/N	----->85 dB
Channel Separation	----->50 dB
Frequency Response	----- 80 Hz - 15 KHz
Sensitivity	-----150 mv -1v

SMC65

MOTORCYCLE/UTV SPEAKER AND AMPLIFIER SYSTEM



SOUND STORM®
L A B O R A T O R I E S

3451 LUNAR COURT, OXNARD CA 93030

PHONE: 888.38.STORM

805.983.8008

FAX: 805.983.7068

TECHNICAL SUPPORT

www.soundstormlab.com



0714