



SOUND STORM LABORATORIES

3451 Lunar Court, Oxnard CA 93030

TECHNICAL ASSISTANCE

www.soundstormlab.com/technical-support/

805.322.8794

SMC72BC

BLUETOOTH® • ALL-TERRAIN SPEAKER AND AMPLIFIER SYSTEM



0116

iPod® and iPhone® are registered trademarks of Apple Inc. in the U.S. and other countries.

Sound Storm Laboratories is not affiliated with Apple Inc.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Sound Storm Laboratories is under license. Other trademarks and trade names are those of their respective owners.



USER'S MANUAL

SMC72BC

BLUETOOTH® • ALL-TERRAIN SPEAKER
AND AMPLIFIER SYSTEM



SMC72BC Motorcycle/UTV Amplified Speaker System

Congratulations on your purchase of a Sound Storm Laboratories Off-Road amplified speaker system. It has been designed, engineered and manufactured to bring you the highest level of performance and quality, for years of listening pleasure.

Thank you for making Sound Storm Laboratories
your choice for entertainment!



SMC72BC Motorcycle/UTV Amplified Speaker System

NOTES

[illegible]

SMC72BC Motorcycle/UTV Amplified Speaker System

Specifications

Operation Voltage	-----10 ~ 16 V
Max Power	----- 600 W
THD	----- <0.1%
S/N	----- >85 dB
Channel Separation	----- >50 dB
Frequency Response	----- 80 Hz - 15 KHz
Sensitivity	----- 150 mv -1v
Speaker Wires	----- 4.9'
Volume Control Wire	----- 5.9'
Audio Input Cable	----- 5.9'
Power Cable	----- 8.2'
Bracket Size Range	----- 0.75" ~1.25"
Fuse Rating	----- 10A

Motorcycle/UTV Amplified Speaker System

Contents

Amplifier	----- 1 PC
High-Performance, Weatherproof Speakers	----- 2 PCS
Amplifier Mounting Screws	----- 4 PCS
Mounting Hardware	----- 2 PCS
Rubber Mounting Shims	----- 4 PCS
Amplifier Mounting Hardware	----- 8 PCS
Fuse	----- 1 PC
User's manual	----- 1 PC

Features:

RCA & 3.5mm Audio Inputs

Speaker Clamp Mounts

Weatherproof Volume Control


High-Impact, High Temp Speaker Enclosures

Weatherproof Speakers

Bluetooth Audio Streaming

SMC72BC Motorcycle/UTV Amplified Speaker System

Connections




Amplifier and Loudspeaker Mounting

Install Reminder

The components and wiring should not be installed around any moving parts, keep away from ignition parts, fuel lines, or any hot exhaust

Speakers should not be installed where they might inhibit safety features on the vehicle (i.e. lights, horns, brake levers, etc...)



SMC72BC Motorcycle/UTV Amplified Speaker System

Installation

1. Screw the brackets to the bottom of the speakers.
2. Find a safe, ideal mounting location and fit the brackets over the chosen mounting bars.
3. Fasten the mounting screws after you review the safety of the mounting location.

Wiring

1. Be sure to run the wiring securely and far away from any moving components.
2. Connecting the power cable to the power source: You will need to connect the 12V red wire to a (fused 5A) switched power source.
3. Use the 3.5mm stereo jack to connect to your entertainment source(MP3 player, etc).
4. Use your player device and wired remote volume controller to control your level of loudness.

Bluetooth

To pair and connect your Bluetooth device to the SMC72BC

Enter Settings > Bluetooth Menu > Search > “ SSL ” >

If Prompted to enter a passcode enter : “0000”